

**GARDEN & POWER TOOLS**



 **KEIL**®  
Power Tools

**2024-25**

[www.keilchainsaw.com](http://www.keilchainsaw.com)

 **KEIL**

Our Si

## ABOUT US

---

We at Keil Tools Private Limited, would like to introduce ourselves as the Professional Importers of Power Tools, Chainsaw Machine, Brush Cutters, Forestry Products like Saw Chains, Guide Bars, Files etc. and other Gardening Machinery & Tools. KEIL specializes in offering Quality Products in the line of Power Tools, Gardening Tools & Forestry Products.

We are having the trade experience of more than 48 years in the line of wood cutting products. We pride ourselves on providing our customers with the excellent quality with the reasonable prices. KEIL provides high quality products that are a better value than the competition.

Our commitment to quality is matched by our dedication to customer satisfaction. We believe in building long-term relationships with our clients by offering not just products, but comprehensive solutions that enhance productivity and success.

 CROSSON











 TREE CUT

 HYCROSS  
POWER OF CUTTING

# GROUP ster Brands



## INDEX

	GASOLINE CHAIN SAW SERIES 01.....11
	ELECTRIC CHAIN SAW SERIES 12.....13
	BRUSH CUTTERS SERIES 14.....16
	EARTH AUGER & GASOLINE ENGINE SERIES 17
	WATER PUMP SERIES 18
	PORTABLE SPRAYER POWER WEEDER SERIES 19
	CHAIN SAW ACCESSORIES SERIES 20
	POWER TOOLS SERIES 21.....31
	GARDEN & POWER TOOLS ACCESSORIES SERIES 32.....41
	CHAINSAW PARTS 58 CC 42.....44

# Chain Saws

## Professional Series





## KEIL® KL5820

Designed to satisfy a wide range of users, from the demanding of gardeners requiring a tool for free use, to farmers and professional contractors. Power to weight ratio ensure excellent cutting performance for any use, from limbing and pruning to cutting medium-size trunks.



	<b>Displacement</b>	<b>58.0 cc</b>		<b>Cutting Capacity</b>	<b>18"/22"</b>
	<b>Rated Power</b>	<b>2.2kw/3hp</b>		<b>Total weight</b>	<b>6.8 kg</b>

## KEIL® KL5830

Robust & long lasting chain saw for all round use. Good for harvesting wood in medium size, also highly= suitable for agriculture, horticulture & Orchards.



	<b>Displacement</b>	<b>58.0 cc</b>		<b>Cutting Capacity</b>	<b>18"/22"</b>
	<b>Rated Power</b>	<b>2.2kw/3hp</b>		<b>Total weight</b>	<b>6.8 kg</b>

## KEIL® KL5860

Excellent power-to-weight ratio ensure outstanding cutting performance for any use, from occasional use to periodical professional use, suit for lopping collecting firewood, felling and cutting up medium to large sized trees. Ideal to handle multiple cutting tasks.



	<b>Displacement</b>	<b>58.0 cc</b>		<b>Cutting Capacity</b>	<b>18"/22"</b>
	<b>Rated Power</b>	<b>2.2kw/3hp</b>		<b>Total weight</b>	<b>6.8 kg</b>

## KEIL® KL5880

The machine use best in class Carborator & the Graphite Coating Piston for better & long lasting performance



	<b>Displacement</b>	<b>58.0 cc</b>		<b>Cutting Capacity</b>	<b>18"/22"</b>
	<b>Rated Power</b>	<b>2.4kw/3hp</b>		<b>Total weight</b>	<b>6.8 kg</b>

## KEIL® KL6050

Speed cutting benefit by new technology engine applying, good cooling enable a fast start to machine in heating weather. Model K16050 also feature a low fuel consumption a best choice for semi professional heavy duty usage.



EQUIPPED WITH CRANK CASE INLET TECHNOLOGY

	<b>Displacement</b>	<b>60.5 cc</b>		<b>Cutting Capacity</b>	<b>18/22/24"</b>
	<b>Rated Power</b>	<b>2.8kw/3.8hp</b>		<b>Total weight</b>	<b>7.4 kg</b>

## KEIL® KL6210

Its ergonomic design ensures comfort and control, while the sharp chain provides efficient cutting power. Perfect for professionals and homeowners seeking reliable, high-performance equipment.



	<b>Displacement</b>	<b>62.0 cc</b>		<b>Cutting Capacity</b>	<b>18/22"</b>
	<b>Rated Power</b>	<b>2.9kw/3.9hp</b>		<b>Total weight</b>	<b>5.8 kg</b>



**KEIL®** KL6220

Robust & Long lasting chain saw for all round use. Good for harvesting wood in medium size, also highly suitable for agriculture, horticulture & Orchards

	Displacement	<b>62.0 cc</b>		Cutting Capacity	<b>18/22"</b>
	Rated Power	<b>2.8kw/3hp</b>		Total weight	<b>6.8 kg</b>



Soft Touch Handle



Professional Muffler Design



High Quality Plastic



paper Air Filter



Soft Touch GripHandle





## KEIL® KL6280

Designed to satisfy a wide range of users, from the demanding of gardeners requiring a tool for free use, to farmers and professional contractors. Power to weight ratio ensure excellent cutting performance for any use, from limbing and pruning to cutting medium-size trunks.



	Displacement	<b>62.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>2.6kw/3hp</b>		Total weight	<b>6.8 kg</b>

## KEIL® KL6300

Robust & long lasting chain saw for all round use. Good for harvesting wood in medium size, also highly= suitable for agriculture, horticulture & Orchards.



	Displacement	<b>63.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>3.0kw/4hp</b>		Total weight	<b>6.8 kg</b>

## KEIL® KL6500

Excellent power-to-weight ratio ensure outstanding cutting performance for any use.

	Displacement	<b>65.0 cc</b>		Cutting Capacity	<b>18"/22"</b>		Rated Power	<b>3.2kw/4.2hp</b>		Total weight	<b>7.8 kg</b>
--	--------------	----------------	--	------------------	----------------	--	-------------	--------------------	--	--------------	---------------





**KEIL® KL6800**

Robust & Long lasting chain saw for all round use. Good for harvesting wood in medium size, also highly suitable for agriculture, horticulture & Orchards

Displacement **68.0 cc**  
Rated Power **2.8kw/3hp**

Cutting Capacity **18/22"**  
Total weight **7.9 kg**



Keil Chain



Paper Air Filter

High Quality Plastic



Professional Muffler Design



Soft Touch Grip Handle



Soft Touch Back Handle



Aluminium Brake Assembly





## KL7200

Highly Professional Chainsaw with great power of 72cc for professional work.

	Displacement	72.0 cc		Cutting Capacity	18"/22"
	Rated Power	3.8kw/4.2hp		Total weight	7.9 kg





**KEIL®** KL8500

This 85cc Chainsaw provide users with maximum power & torque to cut larger wood with easy working.

	Displacement	85.0 cc		Cutting Capacity	18/22"
	Rated Power	3.8kw/4hp		Total weight	7.9 kg



Paper Air Filter



High Quality Plastic



Non- detachable nut



Soft Touch Grip Handle



Soft Touch Back Handle





## Chain Saws

### Platinum Series

#### KEIL® KL5870

- Keil Blister chain
- Keil Titanium Alloy Guide Bar
- Aluminium Made Starter Assembly
- SoftTouch Grip on Handle
- Cylinder & Carburetor Top Quality



	Displacement	58.0 cc		Cutting Capacity	18/22"
	Rated Power	2.6kw/3.5hp		Total weight	7.5 kg

#### KEIL® KL6270

- Keil Blister chain
- Keil Titanium Alloy Guide Bar
- Aluminium Made Starter Assembly
- SoftTouch Grip on Handle
- Cylinder & Carburetor Top Quality



	Displacement	62.0 cc		Cutting Capacity	18/22"
	Rated Power	2.9kw/3.9hp		Total weight	7.5 kg

#### KEIL® KL7000

- Keil Blister chain
- Keil Titanium Alloy Guide Bar
- Aluminium Made Starter Assembly
- SoftTouch Grip on Handle
- Cylinder & Carburetor Top Quality



	Displacement	70.0 cc		Cutting Capacity	18/22"
	Rated Power	3.5kw/4.7hp		Total weight	7.9 kg





# Chain Saws

## Regular Series

Aluminium Starter



Soft Touch Grip Handle



Paper Air Filter



Soft Touch Back Handle



### KL5800

The hottest selling model of Keil. This chainsaw provides the user good quality with reasonable prices

	Displacement	<b>58.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>2.5kw/3.4hp</b>		Total weight	<b>7.5 kg</b>



3 Hole Muffler





## KL6200

Powerful Chainsaw with Aluminium Made Starter assembly , providing

- Longlasting life.
- Aluminium Starter assembly
- Cylinder & Carburetor Premium Quality
- Equipped with Keil chain (German Steel) & Keil bar

	<b>Displacement</b>	<b>62.0 cc</b>
	<b>Rated Power</b>	<b>2.9kw/3.9hp</b>
	<b>Cutting Capacity</b>	<b>18"/22"</b>
	<b>Total weight</b>	<b>7.5 kg</b>

Aluminium Starter



Keil Guide Bar



Keil Saw Chain  
(German Steel)



3 Hole Muffler



Soft Touch Back Handle





## CRT CRT6500

Excellent power-to-weight ratio ensure outstanding cutting performance for any use, from occasional use to periodical professional use, suit for lopping collecting firewood, felling and cutting up medium to large sized trees. Ideal to handle multiple cutting tasks.



	Displacement	<b>65.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>3kw/4 hp</b>		Total weight	<b>8.6kg</b>

## CROSSON CN5800

Equipped with Triple hole silencer & good quality saw chain with a totally different and new outlook. You Can still count on it on terms of quality. It is giving under its pricing



### RPM- 110000

	Displacement	<b>58.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>2.5kw/3.4hp</b>		Total weight	<b>8.5 kg</b>

## CRT CRT5800

Robust & long lasting chain saw for all round use. Good for harvesting wood in medium size, also highly= suitable for agriculture, horticulture & Orchards.



	Displacement	<b>58.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>2.5kw/3.4hp</b>		Total weight	<b>8.5 kg</b>

## CRT CRT7000

The machine use best in class Carborator & the Graphite Coating Piston for better & long lasting performance



	Displacement	<b>70.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>3.5kw/4.7hp</b>		Total weight	<b>8.6kg</b>

## CROSSON CN6200

Providing 62cc power with much reasonable pricing. Comes with aluminium made starting cover and soft touch rubber grip to make it your rough tough tool.



	Displacement	<b>62.0 cc</b>		Cutting Capacity	<b>18"/22"</b>
	Rated Power	<b>3.0kw/4.0hp</b>		Total weight	<b>8.5 kg</b>



## Chain Saws

### Electric Series

#### **KL1600**

Entry level model of the KEIL Electric Chainsaw. Ideal for cutting small wooden logs. Basically for Home or Semi-Professional usage.



Power	<b>1600 W</b>	Voltage	<b>220 V</b>
Motor	<b>Copper</b>	Saw Chain Speed	<b>480 M/Min</b>
Bar Length	<b>16"</b>	Total weight	<b>4.2 kg</b>

#### **KL2200**

This electric Chainsaw comes with 2200 watt power . It is equipped with copper Armature and Field for professional work . This machine can cut the big logs faster . Guide bar and chain 22" interchangeable with gasoline chainsaw.



Power	<b>2200 W</b>	Voltage	<b>220 V</b>
Motor	<b>Copper</b>	Saw Chain Speed	<b>480 M/Min</b>
Bar Length	<b>22"</b>	Total weight	<b>5.2 kg</b>

#### **KL1900**

This Electric Chainsaw comes with 1900 watt motor power with copper armature & field . It is equipped with Automatic oiling system and aluminum gear box



Power	<b>1900 W</b>	Voltage	<b>220 V</b>
Motor	<b>Copper</b>	Saw Chain Speed	<b>480 M/Min</b>
Bar Length	<b>16"</b>	Total weight	<b>5.0 kg</b>

#### **KL2300**

This electric Chainsaw comes with 2300 watt power . It is equipped with copper Armature and Field for professional work . This machine can cut the big logs faster. Guide bar and chain 22" interchangeable with gasoline chainsaw.



Power	<b>2300 W</b>	Voltage	<b>220 V</b>
Motor	<b>Copper</b>	Saw Chain Speed	<b>480 M/Min</b>
Bar Length	<b>22"</b>	Total weight	<b>5.2 kg</b>



## KEIL® KL2000

The only electric chainsaw in Keil coming with two complementary sizes 16" + 18", With this machine, you get 2 bars and 2 chains of 16" and 18" each, Automatic Oiling System, Aluminium Gear Box.



Power	<b>2000 W</b>	Voltage	<b>220 V</b>	Bar Length	<b>16"+18"</b>
Motor	<b>Copper</b>	Saw Chain Speed	<b>480 M/Min</b>	Total weight	<b>5.2 kg</b>

## KEIL® KL2500


This Keil electric chainsaw gives you 2500 watts power with the guide bar size of 22". Hence, the bar and chain of this machine is interchangeable with Petrol chainsaw bar and chain of 22". Soft touch grip on the front handle and back handle, Automatic Oiling System gives you better grip over the machine



Power	<b>2500 W</b>	Voltage	<b>220 V</b>	Bar Length	<b>22"</b>
Motor	<b>Copper</b>	Saw Chain Speed	<b>800 M/Min</b>	Total weight	<b>5.2 kg</b>

## KEIL® KL3000

The most powerful electric chainsaw machine equipped with copper armature delivering 3000 watts actual power to meet the cutting needs of professional users. The first single phase electric chainsaw providing 24" / 28" / 36" guide plate to satisfy the professional needs of users effectively and efficiently .



Power	<b>3000 W</b>	Voltage	<b>220 V</b>	Bar Length	<b>24"/28"/36 "</b>
Motor	<b>Copper</b>	Saw Chain Speed	<b>800 M/Min</b>	Total weight	<b>9.3 kg</b>





CHAINSAW



KEIL®

4 Stroke

Brush  
Cutters



KL3500

TECHNICAL SPECIFICATION

Displacement **35.8 CC**

Fuel Tank Capacity **0.6 L**

Idle Speed **3000 - 3400 rpm**

Engine **GX 35**

G.W/N.W **10/9 Kg**

Type **Sidepack**



# BRUSH CUTTERS



## KEIL® KL3550

4 Stroke Back pack



Idle Speed **3000 - 3400 rpm**

	Displacement	<b>35.8 CC</b>		Fuel Tank Capacity	<b>0.6 L</b>
	Engine	<b>GX 35</b>		G.W/N.W	<b>10/9 Kg</b>

## KEIL® KL5220


2 Stroke Sidepack



	Displacement	<b>52 CC</b>		Fuel Tank Capacity	<b>0.85 L</b>
	Engine	<b>2 Stroke</b>		Rated Power	<b>1.5 kw /2 hp</b>

## KEIL® KL5250

2 Stroke Back pack



	Displacement	<b>52 CC</b>		Fuel Tank Capacity	<b>0.85 L</b>
	Engine	<b>2 Stroke</b>		Rated Power	<b>1.5 kw /2hp</b>



## sharp-on® SH3500

4 Stroke Sidepack



Idle Speed **3000 - 3400 rpm**

	Displacement	<b>35.8 CC</b>		Fuel Tank Capacity	<b>0.6 L</b>
	Engine	<b>GX 35</b>		G.W/N.W	<b>10/9 Kg</b>



**sharp-on®**

## SH5200

2 Stroke Sidepack



Idle Speed **3000 - 3400 rpm**

	Displacement	<b>52 CC</b>		Fuel Tank Capacity	<b>0.85 L</b>
	Engine	<b>2 Stroke</b>		Rated Power	<b>1.5 kw/2 hp</b>

**sharp-on®**


## SH5250

2 Stroke Back pack



Idle Speed **3000 - 3400 rpm**

	Displacement	<b>52 CC</b>		Fuel Tank Capacity	<b>0.85 L</b>
	Engine	<b>2 Stroke</b>		Rated Power	<b>1.5 kw/2 hp</b>



**CROSSON**

## CR3550

4 Stroke Back pack



	Displacement	<b>35.8 CC</b>		Fuel Tank Capacity	<b>0.6 L</b>
	Engine	<b>GX 35</b>		G.W/N.W	<b>10/9 Kg</b>

**CROSSON**

## CR3500

4 Stroke Sidepack



Idle Speed **3000 - 3400 rpm**

	Engine	<b>GX 35</b>		G.W/N.W	<b>10/9 Kg</b>
	Displacement	<b>35.8 CC</b>		Fuel Tank Capacity	<b>0.6 L</b>



Earth Auger



KL520

2 Stroke




Bit Size Options 2", 3", 4", 6", 8", 10", 12"

	Displacement	52 CC		Fuel Tank Capacity	0.85 L
	Engine	2 Stroke		G.W./N.W	8.5 Kg



KL680



Bit Size Options 2", 3", 4", 6", 8", 10", 12"

	Displacement	68 CC		Fuel Tank Capacity	0.85 L
	Engine	2 Stroke		G.W./N.W	8.5 Kg



Gasoline Engine



KL212 Gasoline Engine



	Displacement	212 CC		Rated Power	3.2 Kw
	Engine Type	170F		Maximum Power	4.2 Kw



Water Pump



KL10 Water Pump 1"



	Displacement	35 cc		Outlet /Inlet Dia	25.4 mm(1")
	Horse Power	2.3 hp		Engine Type	4 Stroke
	Output Volume	36 m <sup>3</sup> /h		Section Head	30 m



KL11 Water Pump 1"



	Displacement	35 cc		Outlet /Inlet Dia	25.4 mm(1")
	Horse Power	2.3 hp		Engine Type	4 Stroke
	Output Volume	36 m <sup>3</sup> /h		Section Head	30 m



KL15 Water Pump 1.5"



	Displacement	80 cc		Outlet /Inlet Dia	1.5"
	Horse Power	5.5 hp		Engine Type	4 Stroke
	Water Flow	160 L/min		Max Head	26 m



KL30 Water Pump 3"



	Displacement	212 cc		Outlet /Inlet Dia	3"
	Horse Power	7.5 hp		Engine Type	4 Stroke
	Pump Lift	30 m		High Lift	7 m



Portable Sprayer



KL35



	Displacement	<b>35 cc</b>		Outlet /Inlet Dia	<b>30 mm(1")</b>
	Horse Power	<b>2.3 hp</b>		Engine Type	<b>4 Stroke</b>
	Max Flow Rate	<b>4-8 ltr/min</b>		Max Pressure	<b>4 mpa</b>

KL50



	Displacement	<b>50 cc</b>		Outlet /Inlet Dia	<b>50 mm(1.5")</b>
	Horse Power	<b>3.3 hp</b>		Engine Type	<b>4 Stroke</b>
	Max Flow Rate	<b>8-12 ltr/min</b>		Max Pressure	<b>8 mpa</b>



Power Weeder



**GASOLINE WEEDER**

Displacement: 212CC | Power: 4.3kw 7hp | RPM: 3600





# CHAIN SAW ACCESSORIES



### CHAIN BREAKER



### CHAIN SPINNER



### NOSE



SIZE - .404" & 3/8"



### CHAIN SHARPNER



### CHAIN SHARPNER 5"



### CHAIN SHARPNER 6"

METAL BODY



### GRINDING WHEEL 4 & 6"



### FILES

SIZE -4.0MM , 4.8MM , 5.5MM



### FILES

SIZE -4.0MM , 4.8MM , 5.5MM



# KEIL® PO





# OWER TOOLS





Angle  
Grinder



KEIL® KL900

Platinum Series



Max Disc Diameter 100mm

- Rated Voltage 220-240V
- Rated Frequency 50/60Hz
- Rated Input Power 1000W
- No-load Speed 11000rpm

KEIL® KL901

Platinum Series



Max Disc Diameter 100mm

- Rated Voltage 220-240V
- Rated Frequency 50/60Hz
- Rated Input Power 1300W
- No-load Speed 11000rpm

KEIL® KL905

Platinum Series



Max Disc Diameter 100mm

- Rated Voltage 220-240V
- Rated Frequency 50Hz
- Rated Input Power 950W
- No-load Speed 12400rpm

KEIL® KL906

Platinum Series



Max Disc Diameter 100mm

- Rated Voltage 220V
- Rated Frequency 50Hz
- Rated Input Power 1050W
- No-load Speed 11000rpm

**KEIL® KL907**

Platinum Series



Max Disc Diameter **100mm**

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1200W</b>	No-load Speed	<b>11000rpm</b>

**KEIL® KL701**



Blade Diameter **100mm**

Rated Voltage	<b>220-240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>850W</b>	No-load Speed	<b>11000rpm</b>

**KEIL® KL702**



Max Disc Diameter **100mm**

Rated Voltage	<b>220-240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>750W</b>	No-load Speed	<b>13000rpm</b>

**KEIL® KL706**



Max Disc Diameter **125mm**

Rated Voltage	<b>220-240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>1300W</b>	No-load Speed	<b>13000rpm</b>



**Marble  
Cutter**

**KEIL® KL911**

Platinum Series



Disc size **110mm**

Rated Voltage	<b>220-240V</b>	Rated Frequency	<b>50-60Hz</b>
Rated Input Power	<b>1800W</b>	No-load Speed	<b>13000rpm</b>

**KEIL® KL912**

Platinum Series



Disc size 110mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1800W</b>	No-load Speed	<b>12800rpm</b>

**KEIL® KL913**

Platinum Series



Disc size 110mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1900W</b>	No-load Speed	<b>12500rpm</b>

**KEIL® KL914**

Platinum Series



Disc size 125mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2100W</b>	No-load Speed	<b>12000rpm</b>

**KEIL® KL915**

Platinum Series



Max Disc Diameter 125mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2100W</b>	No-load Speed	<b>12000rpm</b>

**KEIL® KL711**



Disc size 110mm

Rated Voltage	<b>220-240V</b>	Rated Frequency	<b>50-60Hz</b>
Rated Input Power	<b>1150W</b>	No-load Speed	<b>13000rpm</b>

**KEIL® KL712**



Disc size 110mm

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>1300W</b>	No-load Speed	<b>13000rpm</b>

**KEIL®** KL713



Disc size 125mm

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>1350W</b>	No-load Speed	<b>13000rpm</b>

**KEIL®** KL714



Disc size 125mm

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>1700W</b>	No-load Speed	<b>12000rpm</b>

**KEIL®** KL715




Disc size 125mm

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>1700W</b>	No-load Speed	<b>12000rpm</b>

**KEIL®** KL720

WALL CHASER



With 5 Blades

Disc size 135mm

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>3500W</b>	No-load Speed	<b>5000rpm</b>

**KEIL®** KL721



Max Drill Capacity 10mm

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>550W</b>	No-load Speed	<b>0-4500rpm</b>



**Electric Drill**



**Impact Drill**

**KEIL® KL722**



Max Drill Capacity **13mm**

<b>Rated Voltage</b> <b>220/240V</b>	<b>Rated Frequency</b> <b>50/60Hz</b>
<b>Rated Input Power</b> <b>850W</b>	<b>No-load Speed</b> <b>0-2600rpm</b>



**Rotary Hammer**

**KEIL® KL725**



Max Drill Capacity **20mm**

<b>Rated Voltage</b> <b>220V</b>	<b>Rated Frequency</b> <b>50/60Hz</b>
<b>Rated Input Power</b> <b>600W</b>	<b>No-load Speed</b> <b>900rpm</b>

**KEIL® KL726**



Max Drill Capacity **26mm**

<b>Rated Voltage</b> <b>220V</b>	<b>Rated Frequency</b> <b>50/60Hz</b>
<b>Rated Input Power</b> <b>900W</b>	<b>No-load Speed</b> <b>1100rpm</b>

**KEIL® KL727**



Max Drill Capacity **30mm**

<b>Rated Voltage</b> <b>220V</b>	<b>Rated Frequency</b> <b>50/60Hz</b>
<b>Rated Input Power</b> <b>1200W</b>	<b>No-load Speed</b> <b>1100rpm</b>

**KEIL® KL731**

ELECTRIC BLOWER



Wind Volume 2.3

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>800W</b>	No-load Speed	<b>13000rpm</b>

**KEIL® KL732**

ELECTRIC VIBRATOR



Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1800W</b>	No-load Speed	<b>4000rpm</b>

**KEIL® KL733**

MIXTURE DRILL



Rod Diameter 120mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1500W</b>	No-load Speed	<b>900rpm</b>

**KEIL® KL734**

MIXTURE DRILL



Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1250W</b>	No-load Speed	<b>550rpm</b>

**KEIL® KL735**

PRESSURE WASHER



Flow Capacity 480L/h

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2500W</b>	Working Pressure	<b>120Bar</b>

**KEIL® KL736**

PRESSURE WASHER



Flow Capacity 480L/h

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2500W</b>	Working Pressure	<b>120Bar</b>

**KEIL® KL737**

SCREW DRIVER  
Platinum Series



Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>750W</b>	No-load Speed	<b>0-4500rpm</b>

**KEIL® KL738**

CORE DRILL 8"(200MM)  
Platinum Series



Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>3900W</b>	No-load Speed	<b>650rpm</b>

**KEIL® KL739**

ELECTRIC ROUTER



12mm

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2000W</b>	No-load Speed	<b>23000rpm</b>



**Demolition Hammer**





**KEIL® KL740**

DEMOLITION HAMMER



5 kg

Impacting Energy 8 (Joules)

Rated Voltage	<b>220-240V</b>	Rated Frequency	<b>50-60Hz</b>
Rated Input Power	<b>900W</b>	Blows Per Minute	<b>2900Bpm</b>

**KEIL® KL741**

DEMOLITION HAMMER



11 kg

Impacting Energy 6-25 (Joules)

Rated Voltage	<b>220/240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>1600W</b>	No-load Speed	<b>1300Bpm</b>

**KEIL® KL742**

DEMOLITION HAMMER  
Platinum Series



7 kg

Disc Dia 17mm

Impacting Energy 15 (Joules)

Rated Voltage	<b>230V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1200W</b>	Blows Per Minute	<b>3800Bpm</b>

**KEIL® KL743**

DEMOLITION HAMMER  
Platinum Series



7 kg

Disc size 17mm

Impacting Energy 15 (Joules)

Rated Voltage	<b>230V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>1200W</b>	Blows Per Minute	<b>3800Bpm</b>

**KEIL® KL744**

DEMOLITION HAMMER  
Platinum Series



16 kg

PH65

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2600W</b>	No-load Speed	<b>1400rpm</b>

**KEIL® KL745**

DEMOLITION HAMMER  
Platinum Series



16 kg

PH65 SC

Rated Voltage	<b>220-240V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>1700W</b>	No-load Speed	<b>1400rpm</b>

**KEIL® KL746**

DEMOLITION HAMMER



20 kg

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50/60Hz</b>
Rated Input Power	<b>2800W</b>	No-load Speed	<b>2200rpm</b>

**KEIL® KL750**

PLANER



Blade Dia 82mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>850W</b>	No-load Speed	<b>15000rpm</b>

**KEIL® KL751**

PLANER



Blade Dia 82mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>950W</b>	No-load Speed	<b>15000rpm</b>

**KEIL® KL930**

CIRCULAR SAW



Blade Capacity 185mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2200W</b>	No-load Speed	<b>5000rpm</b>

**KEIL® KL950**

CUT OFF MACHINE  
Platinum Series



Blade Diameter 355mm

Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>3200W</b>	No-load Speed	<b>3900rpm</b>

**KEIL® KL960**

MITER SAW  
Platinum Series



Rated Voltage	<b>220V</b>	Rated Frequency	<b>50Hz</b>
Rated Input Power	<b>2200W</b>	Blows Per Minute	<b>6000rpm</b>

# Accessories

## Garden & Power Tools





## Saw Chains



### Durability

Nickel-plated parts + double chrome-plated cutters improve the appearance and more durable experience.

### Efficiency

Excellent durability combined with faster speed results in at least 25% cutting efficiency compared to ordinary chains.

### Speed

All series of Saw Chains greatly increase the cutting speed and smoothness.



# SAW CHAINS



## PLATINUM



- 16" (For Electric chainsaw)
- 18" (For Gasoline Chainsaw)
- .404" Saw Chain Reels
- 22" (For Gasoline Chainsaw)
- 24" (For Gasoline chainsaw & Ms382)



## BLISTER



- 16" (For Electric Chainsaw)
- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)
- 24" (For Gasoline Chainsaw)
- 21" (For Shapura Electric Chainsaw 1PH 21")



## CRT



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## CROSSON



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## SHARPON GOLD



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## SHARPON METALBOX



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



# SAW CHAINS



## BLISTERS



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## TREECUT



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## XCEED POWER GOLD



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## XCEED POWER GERMAN



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## HYCROSS



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## AXEON PRO



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



## GUIDE BARS

**AXE-ON**

### AXEON RED



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)

**KEIL**

### KEIL GOLD



- 16" (For Electric Chainsaw)

**KEIL**

### CHAIN REEL



- 9D100R - 0.404" REEL - 100FT
- 8D100R - 3/8" REEL - 100FT

**KEIL**

### ALLOY



- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)

**KEIL**

### WHITE



- 16" (For Electric chainsaw)
- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)

**CROSSON**

### CROSSON



- 16" (For Electric chainsaw)
- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)

**sharp-on**

### SHARPON



- 16" (For Electric chainsaw)
- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)

**AXE-ON**

### AXEON PRO



- 16" (For Electric chainsaw)
- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)

**TREE CUT**

### TREECUT



- 16" (For Electric chainsaw)
- 18" (For Gasoline Chainsaw)
- 22" (For Gasoline Chainsaw)



# CYLINDERS

## KEIL® PLATINUM

58CC



## KEIL® REGULAR

58CC



## CRT® CRT

58CC



## CROSSON CROSSON

58CC



## sharp-on® SHARPON

58CC



## TREE CUT TREECUT

58CC



## KEIL® CYLINDER

62CC



## KEIL® PLATINUM

62CC







**KEIL®** KL6800

68CC



**KEIL®** KL7000

70CC



**KEIL®** KL7200

72CC



**sharp-on®** 48F 62CC



**KEIL®** BRUSH CUTTER

43CC/52CC

2 STROKE



**KEIL®** GX35

4 STROKE





**CARBURETOR**



**PRO 2 PIPE**



**PRO 3 PIPE**



**2 PIPE**



**3 PIPE**



**CROSSON**



**TREECUT**



**GX 35**



**BC 43/52CC**






TRIMMER LINE



ALOY BLADE




AUGER DRILL BITS



WEEDER ATTACHMENT



TILLER ATTACHMENT



TRIMMER HEAD



CUT OFF WHEEL 4" TO 14"



TCT BLADES 4" TO 12"



MARBLE CUTTING BLADES

USTAD SERIES





KEIL® MARBLE CUTTING BLADES

ADVANCE SERIES



KEIL® MARBLE CUTTING BLADES

CERAMIC SERIES



KEIL® MARBLE CUTTING BLADES

ECO SERIES



KEIL® MARBLE CUTTING BLADES

ZERO CHIPPING SERIES



KEIL® MARBLE CUTTING BLADES

SUPER THIN TURBO SERIES



KEIL® MARBLE CUTTING BLADES

TURBO SERIES



KEIL® MARBLE CUTTING BLADES

BLUE SERIES



KEIL® MARBLE CUTTING BLADES

MASTER SERIES



KEIL® MARBLE CUTTING BLADES

PLATINUM SERIES





**KEIL®** KL001

KEIL PISTON SET




**KEIL®** KL002

CRANK SHAFT



**KEIL®** KL003

RING SET



**KEIL®** KL004

BRAKE ASSEMBLY



**KEIL®** KL005

TANK HOUSING



**KEIL®** KL006

SPRING THICK



**KEIL®** KL007

SPRING THIN



**KEIL®** KL008

FLYWHEEL



**KEIL®** KL009

METAL PLATE



**KEIL®** KL010

SPIDER



**KEIL®** KL011

OIL PUMP COVER



**KEIL®** KL012

NEEDLE BEARING - CLUTCH



**KEIL®** KL013

OIL PUMP RUBBER



**KEIL®** KL014

CRANKCASE



**KEIL®** KL015

WRENCH



**KEIL®** KL016

KEIL PLUG 58CC



**KEIL®** KL017

TRIGGER SET



**KEIL®** KL018

KEIL RIM



**KEIL®** KL019

FRONT HANDLE IRON



**KEIL®** KL020

CLUTCH DRUM PLAIN



**KEIL®** KL021

STARTING KIT DOUBLE



**KEIL®** KL022

ROPE ROTOR SINGLE



**KEIL®** KL023

FRONT HANDLE ALUMINIUM



**KEIL®** KL024

ROPE BUNDLE 3.5MM





**KEIL®** KL025

KEIL OIL PUMP



**KEIL®** KL026

AIR FILTER KNOB



**KEIL®** KL027

SPARK PLUG RUBBER WITH SPRING



**KEIL®** KL028

PETROL PIPE



**KEIL®** KL029

AIR FILTER SMALL



**KEIL®** KL030

FUEL PRIMER



**KEIL®** KL031

BRACKET



**KEIL®** KL032

STARTING KIT ALUMINIUM



**KEIL®** KL033

ROPE BUNDLE 3.0MM



**KEIL®** KL034

BRAKE ASSEMBLY PLATE SET



**KEIL®** KL035

NUT



**KEIL®** KL036

OIL CAP



**KEIL®** KL037

GASKET SET COMPLETE



**KEIL®** KL038

KEIL IGNITION COIL



**KEIL®** KL039

CHAIN STOPPER



**KEIL®** KL040

AIR FILTER PAPER



**KEIL®** KL041

PETROL FILTER



**KEIL®** KL042

OIL FILTER



**KEIL®** KL043

SPACER



**KEIL®** KL044

ON OFF SWITCH COMPLETE



**KEIL®** KL045

AIR FILTER ADAPTER ALUMINIUM



**KEIL®** KL046

STUD



**KEIL®** KL047

MANIFOLD



**KEIL®** KL048

NEEDLE BEARING PISTON





**KEIL®** KL049

STARTING KIT SINGLE




**KEIL®** KL050

MUFFLER



**KEIL®** KL051

SPRING STEEL PLATE



**KEIL®** KL052

CHOK ROD



**KEIL®** KL053

ROPE ROTOR DOUBLE



**KEIL®** KL054

OIL PIPE



**KEIL®** KL055

TANK HOUSING WITH PRIMER



**KEIL®** KL056

CLUTCH



**KEIL®** KL057

CLUTCH DRUM WITH SPROCKET



**KEIL®** KL058

ON OFF SWITCH PLASTIC



**KEIL®** KL059

AIR FILTER BIG AND SMALL



**KEIL®** KL060

MUFFLER BOLT WITH NUT



**KEIL®** KL061

PETROL CAP



**KEIL®** KL062

BREATHER



**KEIL®** KL063

SHARPON SPARK PLUG



**KEIL®** KL064

OIL SEAL SET



**KEIL®** KL065

GASKET SET CYLINDER



**KEIL®** KL066

WORM GEAR



**KEIL®** KL067

FOUNDATION SET



**KEIL®** KL068

T TYPE ALLEN KEY



**KEIL®** KL069

GRIP HANDLE



**KEIL®** KL070

TOWER TYPE SPRING




**KEIL®** KL071

DOG SET METAL



**KEIL®** KL072

CYLINDER GASKET





**KEIL**®  
Power Tools



**KEIL TOOLS PRIVATE LIMITED**

[www.keilchainsaw.com](http://www.keilchainsaw.com)  
[keilchain@gmail.com](mailto:keilchain@gmail.com)